

Another innovative Hygiene Technologies brand



# Fibreclean colour coded cleaning equipment has a dramatic impact on minimising cross-contamination.

Our popular colour-coded Fibreclean range of hygiene system tools are all manufactured to a high quality, food grade approved standard.

Hygiene Technologies has pioneered colour coding for the food industry in New Zealand and has undergone continued development based on customer feedback.

The colour coded line-up continues to expand with over 1000 items available in this range.

The extensive Fibreclean range comes in up to 11 colours and includes:

- Brushware, squeegees & handles
- Dustpans & sets
- Buckets, scoops, scrapers and shovels
- Shadow Boards & tool holders
- Scrubbers, wipers & cloths
- Mopping systems
- Detectable cleaning tools & supplies

If you haven't implemented a colour coding system to minimise contamination then talk to us now.

Food grade approvals, compliance declarations and other resources available - see page 54 for more information.

In Partnership wit











### Introduction to Fibreclean

The Fibreclean range of hygiene tools has the most colours available on the market, however we stock the colours that are ordered regularly. See at right for full colour range available.

The colours most commonly stocked are -1 through to -8, however if there are any items or colour options you require that are not listed here, please contact our customer services team.

We update this catalogue regularly, however the colour options we hold in stock may change - refer to our website for the most up to date information.

### How to order specific colours

When ordering please add colour code after the product code:

eg. FB10548 - 2 = Churn Brush --> Blue

1	xxxx	1
•		ı

2 **xxxx - 2** 

3 xxxx - 3

4 xxxx - 4

5 **xxxx - 5** 

6 xxxx - 6

8 **xxxx - 8** 

9 **xxxx - 9** 

11 xxxx - 11

<sub>12</sub> xxxx - 12



### By phone

0800 (REAL CLEAN) 732 525

# By Email

info@hygienetech.co.nz

### By website

www.hygienetech.co.nz

### **Address**

28 Rangitane Road, Hastings



### **Handles**

Standard handles
Telescopic handles

### **Brushes for handles**

Deck scrubs
Tank brushes
Sweepers
Brooms

Tube brush Wash brush

### **Squeegees for handles**

Single blade squeegees Condensation squeegees Double blade squeegees

### Hand held squeegees

Hand held Squeegees

### Hand held brushes

Churn brushes
Tube brushes
Utility brushes
Hand scrub brushes
Dish brushes
Bannister brushes
Bottle brushes
Specialty brushes and tools

### **Dustpans and sets**

Lobby dustpans
Spill kits
Components for spill kits

#### **Miscellaneous**

Buckets Shovels Scrapers Spatulas Handscoops Jugs

# **Shadow Boards & Tool Storage**

### **Shadow board options**

Mounting options Laminate options Shadow board sizes Hanging options

### **Tool holder options**

Tool rail system

# **Janitorial Cleaning Tools**

#### Cleaning Equipment

Scrubbers and holders Wipes Microfibre hand cloths

# **Mopping Systems**

### **Mopping systems**

Flat mop handles and frames Flat mops String mops Wringer buckets String mop handles

# **Detectable Products**

#### **Supplies**

Pens and markers Clip boards Cable ties

#### **Cleaning tools**

Hand scoops Buckets Spatulas

# **Standard Handles**

Fibreclean standard (non-telescopic) handles are legendary for their long-lasting ability in a tough industry. Made in NZ, to exacting specifications, these handles deliver a long service life, hygienic and easy-clean design and ergonomic comfort for the user.

The workhorse of the range is the aluminium style, with the fibre-reinforced polypropylene available for use in specialised areas. The Headlock handle joint is standard across the range for all brushes and squeegees.



#### **Ergonomic Grip**

The coloured hand-grip on the Ergo-style handles positively reinforces the colour-coded theme on your site, and the hanging hole allows all items to be stored off the floor. The Ergo grip is more comfortable for the operator to hold onto and protects their hands when working in cold environments.

#### **Heavy Duty Aluminium Tube**

The welded aluminium tube used in the Fibreclean handles is anodised to give it extra resistance to wear, and has a 1.6mm wall thickness for increased strength and rigidity.

#### Ultra Hygiene One-Piece Handle

For use in critical hygiene areas or when regularly exposed to corrosive chemicals that would damage aluminium. The Ultra Hygiene Handle is moulded out of fibre-reinforced polypropylene, in one piece. That means there is no joins or crevices for dirt and bacteria to accumulate and it can also withstand strong corrosive chemical mixtures without corroding. The fibre reinforcing adds strength and rigidity.

# **Telescopic Handles**

Telescopic poles are a very cost effective option compared to hiring access equipment and there are a number of attachments available to tackle most tasks.

#### **Product Availability**

These items are available by indent only and in the following sizes: 1600-5300mm and 1900-9500mm. Please contact your account manager for more information.





### **Handles**

Standard handles
Telescopic handles

### **Brushes for handles**

Deck scrubs
Tank brushes
Sweepers
Brooms
Tube brushes
Wash brushes

### **Squeegees for handles**

Single blade squeegees Condensation squeegees Double blade squeegees

### Hand held squeegees

Hand held Squeegees

#### Hand held brushes

Churn brushes
Tube brushes
Utility brushes
Hand scrub brushes
Dish brushes
Bannister brushes
Bottle brushes
Specialty brushes and tools


### **Dustpans and sets**

Lobby dustpans
Components for Lobby dust pans
Dust pan sets
Spill kits
Components for spill kits

### **Miscellaneous**

Buckets Shovels Scrapers Spatulas Handscoops Jugs

### Standard handles - Aluminium and fibreglass




### Standard handles - Ergonomic grip

Code	Size / Description		Most Popular	Colour										
FB49813	1350x32mm, Ergo grip, Aluminum	6	*	1	2	3	4	5	6	7	8			
FB50321	1500x32mm, Ergo grip, Aluminum	6		1	2	3	4	5	6	7	8	9	11	12
FB50331	1750x32mm, Ergo grip, Aluminum	6		1	2	3	4	5	6	7	8			
FB49904	1500x32mm, Ergo grip, One-piece hygiene	6	*	1	2	3	4	5						
	FB49813 FB50321	F	FB5033						FB4	9904				



### Telescopic handles - Aluminium and adaptors



### Telescopic handles - Fibreglass





# Deck scrubs - Traditional

Code	Size / Description	Qty Box	Most Popular	Coloui									
FB15000	225x60mm, Stiff, 30mm bristle	6		1	2	3		5					
FB15001	280x50mm, Stiff, 30mm bristle	6	*	1	2	3	4	5					
FB15002	400x50mm, Stiff, 30mm bristle	6		1	2	3	4	5			8		
FB43153	300x60mm, Very stiff, 25mm bristle	6		1	2	3	4	5	6	7			
All International Control	FB15000 FB15001	***************************************	MANAGE	MAN	81500	02	ren .		Abreden	rivit.	B43153	3	

### Deck scrubs - Curved

D 0 0 1 0 0	erabs earvea											
Code	Size / Description		Most Popular	Colour Option								
FB40155	285x130mm, Stiff, 45mm bristle	6	*	1	2	3	4	5	6	7	8	
FB40154	285x120mm, Stiff, 25/40mm bristle	6		1	2		4					
MININI N	FB40155 FB40154	T so o A w b	urved ( he curverubbin f factor llso, wo valls as f etter fo urfaces naped (	red shag into y floo rks grathe br or scru than t	ape in the rs. The seat for istless the seat for its the	or scr are a g vert	d edg rubbi angle tical	ges ng				

### Tank brushes

Code	Size / Description		Most Popular	Colour								
FB15024	220x140mm, Soft, Flagged, 40mm bristle	6			2							
FB15025	200x120mm, Medium, 35mm bristle	6		1	2	3			6			
FB15026	200x120mm, Stiff , 35mm bristle	6	*	1	2	3	4	5				
	FB15024		FB150	025						FB15	5026	

# Sweepers - General

Code	Size / Description		Most Popular	Colour										
FB41126	400x50mm, Extra Soft, 50mm bristle	6	*				4			7	8			
FB40195	300mm, Stiff, Angled Sweeper	6		1	2	3	4	5	6	7				
FB15204	400x50mm, Soft, 55mm bristle	6	*	1	2	3	4	5		7	8	9	11	12
FB47136	600x60mm, Soft, 55mm bristle	6		1	2	3	4	5	6	7				
W	FB41126 FB40195		MUM.	B1520	MINI 4	W	paner.		IIII	FB	47130		III	

### Brooms - General and yard

Code	Size / Description	Qty Box	Most Popular	Colour									
FB15023	300x60mm, Medium, 55mm bristle	6		1	2								
FB15009	400x60mm, Medium, 55mm bristle	6	*	1	2	3	4	5	6	7	8		
FB47156	600x60mm, Medium, 55mm bristle	6		1	2	3	4	5	6	7	8		
FB45197	400x60mm, Extra Stiff, 65mm bristle	6		1	2	3	4	5					
FB47197	600x60mm, Extra Stiff, 65mm bristle	6		1	2	3							
FB15008	400x60mm, Stiff, 110mm bristle	6		1	2	3	4	5	6				





### Tube brush

Code	Size / Description		Most Popular	Color						
FB47152	105x140mm, Medium, 30mm bristle, To fit handle	6		1	2	3				
FB47153	120x145mm, Medium, 38mm bristle, To fit handle	6		1		3				
FB47132	80x125mm, Medium, 20mm bristle, To fit handle	6			2					







### You might also like...

The hand held tube brush. This hygienic one piece design is lightweight and has two common applications: the 90mm one is the perfect size for cleaning the exit throat of most commercial mincing machines. A second common use is for toilet cleaning.

Please refer to page 16 where you can find the hand held tube brush option, or visit www.hygienetech.co.nz



### Wash brush - General

Code	Size / Description		Most Popular	Colo						
FB40105	290x130mm, Soft, Flagged, 40mm bristle	6		1	2	3	5			
FB15011	225x60mm, Soft, Flagged, 55mm bristle	6		1	2			6		
FB15012	225x60mm, Medium, 55mm bristle	6		1	2		5			
FB49105	290x130mm, Soft, Flagged, 40mm bristle, Waterfed	6			2					
FB44105	300x60mm, Soft, Flagged, 55mm bristle	6						6		









FB40105

FB15011

FB15012

FB49105



Most of these wash brushes have 'flagged bristles' which is a process that makes the ends of the filaments softer, ideal for cleaning sensitive

The flagging process also has the benefit of holding moisture to save reapplying chemical as often.







Look for these symbols





#### **Transport Range**

Any products with this symbol are suitable for vehicle cleaning. These are not limited to the transport industry but are the most popular for this application.

#### **Water Fed**

Water Fed items are designed to connect to a wash down hose. Fibreclean water fed brushes are uniquely designed so that water comes out every tuft of bristles.





### Detectable


This symbol is to indicate which items are made of metal and X-ray detectable plastic. These tools are designed for food manufacturers that require food products to go through a metal detector.

#### Resin Set

Resin set brush bodies are specially moulded to form a recess on the recieving side for bristles. Once the bristle clumps have been secured into the brush stock, food grade resin is flooded into the recess, surrounding all bristles and left to set.



### Single blade squeegee - Floor




### Condensation squeegee



### Double blade squeegee - Fixed

Code	Size / Description		Most Popular	Colour						
FB15071	400x42mm, Fixed head	6		1	2	3	4	5		
FB15072	500x42mm, Fixed head	6	*					6		
FB15073	600x42mm, Fixed head	6	*	1	2	3	4	5 6		
FB15074	700x42mm, Fixed head	6		1	2	3	4	5		
FBI	5071 FB15072		FB15073	3				FB1507	74	

# Double blade squeegee - Swivel



### Double blade squeegee - Refills

Code	Size / Description		Most Popular	Colour Options
FB15075	400x50mm, Replacement blade cartridge	12		1
FB15076	500x50mm, Replacement blade cartridge	12	*	1
FB15077	600x50mm, Replacement blade cartridge	12	*	1
FB15078	700x50mm, Replacement blade cartridge	12		1
FE	B15075 FB15076	F	FB15077	FB15078



### Hand held squeegee - General




### Churn brush - Standard and resin set

Code	Size / Description		Most Popular	Colour Option									
FB10547	275x70mm, Soft, Flagged, 45mm bristle	6		1	2								
FB10546	275x70mm, Medium, 35mm bristle	6			2								
FB10548	275x70mm, Stiff, 35mm bristle	6	*	1	2	3	4	5	6	7	8	9	
FB90548	275x70mm, Stiff, 40mm bristle, Resin set	6			2								
FB10549	275x70mm, Stiff, 35/50mm bristle	6		1	2	3	4	5					
Pibrede	FB10547 FB10546	and a second		FB1	0548	3		Fibre	1000	F	=B90!	548	VIV V
Albredes	FB10549	Resin so Resin so speciall recess of bristles.  Once the have be brush so is flood surroun left to s	et brush y mould on the r de bristl den sect cock, fo ed into ding all	ded to eceivi e clun ured ir ood gra the re	forning sings of the second of	n a de fo ne esin							

# Churn brush - Rubber edging

Code	Size / Description		Most Popular	Colour Option						
FB50104	270x70mm, Soft, Flagged, 45mm bristle	6			2					
FB50144	275x70mm, Medium, 35mm bristle	6			2					
FB51104	300x75mm, Soft, Flagged, 45mm bristle, Fits to standard garden hose	6			2					
FB52154	300x75mm, Stiff, 35mm bristle, 1/2" Nipple connection - fits PF426	6		1			5			
PF426	Coupler, Hose tail, 13mm	1								



### Tube brush - Hand held

Code	Size / Description	Qty Box	Most Popular	Colour Options
FB57156	63x370mm, Stiff, 20mm bristle	12		2
FB57159	90x370mm, Stiff, 35mm bristle	12		1 2 3 6
FE	357156 FB57159	Tu in co W lo Tu cl tu	the bruthe Fike pinnection ound from the pipe suber bruthe eaning libes, true ease re	also like Ishes for handles. These connect to any handles oreclean range and utilises the secure 'headlock' on. This removes the risk of brushes becoming untom the handle and remaining out of reach down a exist each of the second of the



# Utility brush

Code	Size / Description		Most Popular	Colou								
FB10201	270x47mm, Small utility brush, Medium, 30mm bristle	12			2	3						
FB10203	270x47mm, Small utility brush, Stiff, 30mm bristle	12		1	2			5				
FB10213	410x45mm, Long utility brush, Medium, 40mm bristle	6		1	2	3						
FB10215	410x45mm, Long utility brush, Stiff, 40mm bristle	6	*	1	2	3	4	5	7	7		



### Hand scrub brush

Code	Size / Description		Most Popular	Colou								
FB15066	210x70mm, Soft, Flagged, 55mm bristle	10							6			
FB15064	210x70mm, Medium, 35mm bristle	12		1		3	4	5				
FB54153	210x65mm, Stiff, 30mm bristle	12		1	2	3		5				
FB15063	210x70mm, Stiff, 35mm bristle	12	*	1	2	3	4	5		7		
FB15065	210x70mm, Stiff, 30/40mm bristle	12		1	2							



FB10463

### Dish brush - Hand held

FB10466

Code	Size / Description		Most Popular	Colour							
FB10466	225x35mm, Medium, 25mm bristle	6			2	3	4	5			
FB10463	255x28mm, Medium, 25mm bristle	12	*	1	2	3	4	5	7		
\											

### Bannister brush

Code	Size / Description		Most Popular	Colou Optio										
FB10254	340x35mm, Very Soft, 50mm bristle	10		1	2	3	4	5						
FB10252	340x35mm, Medium, 50mm bristle	10										9		
FB90252	340x35mm, Medium, 50mm bristle, resin-set	10			2									
FB10255	340x35mm, Stiff, 50mm bristle	10		1	2	3			6					
FB10256	340x35mm, Stiff/Very Soft Mix, 50mm bristle	10	*	1	2	3	4	5	6	7	8		11	12





### Bottle brush

Code	Size / Description	Qty Box	Most Popular	Colour							
FB10750	10Øx500mm, Medium, Standard tip	12		1	2						
FB10745	15Øx300mm, Medium, Drain Cleaning Brush	12			2						
FB10752	20Øx500mm, Medium, Standard tip	12		1	2						
FB10754	30Øx500mm, Medium, Standard Tip	12		1	2						
FB10756	40Øx500mm, Medium, Standard Tip	12		1	2						
FB10758	50Øx500mm, Medium, Standard Tip	12		1	2	3	4	5			
FB10759	60Øx500mm, Medium, Standard Tip	12		1	2						
FB10713	55Øx450mm, Medium, Fan tip	12			2						
FB10714	65Øx500mm, Medium, Fan tip	12			2						



### **Custom-made brushware**

If you cant find what you are looking for in our brushware selection, you have a special or unusual task in mind, or you don't want to pay OEM prices for replacement brushes used in equipment from overseas, then give us a call.

### **Benefits to food processors**

We can design and produce an extensive array of specialist, one off brushes, with all sorts of bristles and different backing material and in any manner of construction.





# Specialist brushes and tools


Code	Size / Description		Most Popular	Colou Option							
FB15060	110x45mm, Nail brush, Medium, 16mm bristle	12		1	2	3					
FB15061	110x45mm, Nail brush, Stiff, 16mm bristle	12	*	1	2		4	5	7		
FB54154	125x80mm, Round hand scrub brush, Stiff, 40mm bristle	6		1	2	3	4				
FB81125	50x150mm, Pastry brush, Very soft, 50mm bristle	12		1	2						
FB82125	70x150mm, Pastry brush, Very soft, 50mm bristle	12			2						
FB52126	300x20mm, Flour brush, Very soft, 60mm bristle	12		1	2	3	4	5			
FB51126	410x55mm, Bread brush, Very soft, 60mm bristle	10		1	2						
FB50155	510x100mm, Cutter brush, Stiff	6		1	2	3					
FB47260	350x580mm, Overhead pipe / ledge cleaning tool	2			2	3	4	5			
FB50153	275x20mm, Machine brush	12		1	2						





# Dustpans and components

Code	Size / Description	Qty Box	Most Popular	Colour										
FB80210	Lobby dustpan complete with angle-cut sweeper and connecting clip	1		1	2	3	4	5	6	7				
FB80201	Lobby dustpan, replacement component	1		1	2	3	4	5	6	7				
FB80205	360x335mm, Handheld pan, Covererd lid	2			2	3	4	5		7				
FB80302	300x333mm, HD dustpan	6		1	2	3	4	5	6	7	8	9	11	12
FB40195	300mm, Stiff, Angled Sweeper	1		1	2	3	4	5	6					
FB80204	70x32mm, Clip for Lobby dustpan	1		1	2	3	4	5	6	7				
BR086	300x240mm, Click together brush & pan set, Medium, 60mm bristle	6		1	2	3	4	5	6					



### **Hand Shovel**

The hand shovel is ideal where a greater capacity than the standard FB80301 is required. Although it has more capacity, it is narrower than the FB80301 meaning it will fit inside the Ergo Bucket when emptying. Please refer to page 24 for this option, or visit www.hygienetech.co.nz



### Lobby dust pan

designed to take both dry debris or liquids with a high capacity for dry waste and can hold 700ml of liquid in the open position.

The pan can then be fully closed for safety until emptied. The pan is stable in both open and closed positions.



### Glass and Allergen spill kits

Code	Size / Description		Most Popular	Colou Optio							
FB180	Spill kit, Glass	1			2	3	4	5			
FB182	Spill kit, Powder allergen	1			2	3	4	5			
FB184	Spill kit, Solid allergen	1			2	3	4	5			
FB186	Spill kit, Liquid allergen	1			2	3	4	5			



### Spill kits

Spill kits contain everything you need to effiently clean up after any incident. The 4 different kits are specific to all likely incidents - Glass and brittle plastics, powdered, solid and liquid alergens. Reduce downtime and give yourself peace of mind that everything is contained in the kit when it is needed, including a laminated instruction sheet. The box has a tamper proof seal to ensure all items remain in the kit ready for use.

A list of replacement items for your kit, check out page 23, or on our website www.hygienetech.co.nz





# Components for spill kits

Code	Size / Description		Most Popular	Colour							
HT184	Spill absorbtion pads	1									
HT180	Spill warning tape, 10mtr roll	1									
FB002	HD wiper cloth, 90 sheets/roll, 45mtr roll	4	*		2	3	4	5			
BV010	Yellow rubber gloves, Silverlined, Medium	pr									
BV014	Yellow rubber gloves, Silverlined, X-large	pr									
FB10466	Medium bristle small brush	6			2	3	4	5			
FB10256	Bannister brush, Stiff/Very soft mix	10	*		2	3	4	5			
FC122	350x350mm, General purpose micro cloth	10	*		2	3	4	5			
FB28243	Single blade squeegee, Handheld	6	*		2	3	4	5			
FB15109	110mm Wide spatula	12	*		2	3	4	5			
FB81916	Scraper	20			2	3	4	5			

### **Buckets - Plastic**

Code	Size / Description		Most Popular	Colour									
FB80102	275x300mm, Ergo bucket 9 Ltr	4			2	3	4	5		7			
FB80101	350x320mm, Ergo bucket 15 Ltr	4		1	2	3	4	5	6	7	8		
FB80112	285x30mm, Lid for 9 Ltr Ergo bucket	4			2	3	4						
FB80111	340x30mm, Lid for 15 Ltr Ergo bucket	4		1	2	3	4			7			









#### **Buckets**

The Fibreclean Ergo bucket is completely unique. It is the perfect ergonomic size and designed to meet health and safety requirements as well meeting QA requirements with the food grade plastic available in eight colours.

For more information on our Ergo buckets, please visit our website www.hygienetech.co.nz



### Shovels

Code	Size / Description	Qty Box	Most Popular	Colour r Options										
FB14103	Hygiene shovel short handle/small pan, 1120mm high, Pan size 270x340mm	6		1	2	3	4	5	6	7	8			
FB14104	Hygiene shovel short handle/large pan, 1120mm high, Pan size 330x380mm	6		1	2	3	4	5						
FB15103	Hygiene shovel long handle/small pan, 1330mm high, Pan size 270x340mm	6			2	3	4	5	6					
FB15104	Hygiene shovel long handle/large pan, 1330mm high, Pan size 330x380mm	6		1	2	3	4	5	6					
FB80305	270 x 320 x 540mm, Hand shovel	6				3		5		7	8			



# Scrapers - Ergonomic

Code	Size / Description	Qty Box	Most Popular	Colour Options
FB82900	100x240mm, Ergonomic Scraper	12		2 3
FB81900	200x125mm, Ergonomic Scraper	12		1 2 5
	FB82900 FB81900			



# Scrapers

Code	Size / Description		Most Popular	Colo							
FB81916	Dough scraper	20			2	3	4	5			
FB48290	235x112mm, Paddle scraper, Polypropylene, Rigid	6				3					
FB48291	235x112mm, Paddle scraper, Polyethylene, Flexi	6		1							
FB48281	270 x 110mm, Stainless blade floor scraper, Rigid	6		1	2	3	4	5			



# Spatulas

Code	Size / Description		Most Popular	Colou									
FB82910	75x250mm, Heat resistant to 250°C	12							6				
FB88040	40x240mm, Stainless steel blades	12		1	2								
FB88080	80x240mm, Stainless steel blades	12		1	2		4						
FB82904	75x250mm	12	*	1	2	3	4	5					
FB15109	110x250mm	12		1	2	3	4	5	6	7	8		



0800 732 525

www.hygienetech.co.nz

# Hand scoops

Code	Size / Description		Most Popular	Colour							
FB15105	500gm, 110x150x265mm, 0.75 Ltr	10		1	2	3		5			
FB15106	750gm, 135x185x310mm, 1.5 Ltr	10		1	2	3	4				
FB15107	1000gm, 160x230x360mm, 2.5 Ltr	10		1	2	3		5			








#### You may also like...

Our metal detectable plastic scoops, which are designed for food manufacturers that require food products to go through a metal detector. The idea is that if a piece breaks off a tool and goes into the food, it will be picked up by metal detector and/or X-Ray machines.

Please refer to page 46 where you can find the Metal detectable handscoop options, or visit www.hygienetech.



### Plastic jugs

Code	Size / Description	Qty Box	Most Popular	Coloui							
FJ002	1000ml, Plastic measuring jug, Natural	1									
FJ002	1000ml, Plastic measuring jug, Colour tint	1			2	3	4	5			
FJ004	3000ml, Plastic measuring jug, Natural	1									
FJ006	5000ml, Plastic measuring jug, Natural	1									









**Fibreclean**<sup>®</sup>

# **Shadow Boards**

Market leading, bespoke, full colour shadow board systems to enhance your workplace






### 'A place for everything and everything in its place'

that's the promise behind our fully customisable, durable and easy to clean Fibreclean Shadow Boards.



#### **Fibreclean Shadow Boards**

Since 2002 when we introduced colour coded hygiene grade tools to the food processing markets in New Zealand, we have been constantly developing and improving the Fibreclean range based on customer feedback. We now lead the way with the high quality bespoke shadow boards that are loaded with unique benefits to help you reduce risk and improve hygiene and efficiencies.





Shadow board options
Mounting options
Laminate options
Shadow board sizes
Hanging options

# **Tool holder options**Tool rail systems

### Mounting options



#### **Direct Fix**

Lowest cost board and can be mounted to most wall types. A suitable sealant can be placed around the board edge for hygiene purposes if required. Method of mounting board to the wall is decided by customer.



#### Stand-off

Stainless stand-off mounts that are attached to the wall structure. Can hose water or blow compressed air down behind board to clean, or can be easily removed for manual scrubbing.



#### **Left Hinged or Right Hinged**

For high hygiene areas to allow for easy access to clean behind the board.



#### Magnet

The magnet option allows you to attach and detach your Shadow Board to any steel or coated surface, without drilling holes into your walls.



### Laminate options

#### **Standard Laminate**

This laminate film has been chemical and scratch tested, to ensure the long-life of your Fibreclean Shadow Board whatever your environment.

### **White Board Laminate**

This transparent matt laminate film is extremely scratchresistant and perfectly suited for production boards or as an addition to Shadow Boards, that require written messages to be communicated between shifts or team members.

### Shadow board sizes

#### Imagine your board

If you can dream it, we can print it. From full board size pictures to intricate tables, think of what works best for you.

Visit hygienetech.co.nz/Fibreclean-Shadow-Boards-Gallery-to get some inspiration or ideas.

We have a range of board shapes and sizes that fit most situations - see the relative sizes below. All of our boards come with Standard Laminate unless White Board Laminate has been requested.































### Hanging options

#### **Stainless Steel hooks**

Heavy duty stainless steel hooks in single and double configuration. These can be mounted anywhere on the board, giving flexibility to fit more items on the board. Can be used to hang items with hanging holes in them, or to horizontally support items with no hanging hole.



SH538



SH540

#### Safety design

Safety design – with the prong facing inwards, there is no risk of serious injury if anyone trips and falls against the hook. Also means the tool hangs out from and doesn't touch the board.

SH542

#### Clip & bolt set

For hanging items like gloves - Comes as a set with mounting bolt & nut for attaching to the board.




SH546



### Tool rail systems - General

Code	Size / Description		Most Popular	Colou										
FB15153	310x54mm, Tool holder rail	4												
FB15154	625x54mm, Tool holder rail	4	*											
FB15155	1250x54mm, Tool holder rail	4	*											
FB15156	1875x54mm, Tool holder rail	4	*											
FB15157	2500x54mm, Tool holder rail	4	*											
FB80000	50x55mm, Tool holder hook	12	*	1	2	3	4	5	6	7	8	9	11	12
FB15150	77x62mm, Tool holder handle clip small	12	*	1	2	3	4	5	6	7	8	9	11	12
FB15151	85x66mm, Tool holder handle clip large	12		1	2	3	4	5	6	7	8	9		
FB151EP	Tool holder end plug set	12	*	1	2	3	4	5	6	7	8	9	11	12
FB15159	35x3mm, Tool holder rail filler strip, 1200mm	10		1										
FB15163	407x6mm, Rail sign back board for 310mm tool holder	4												
FB15164	722x6mm, Rail sign back board for 625mm tool holder	4												
FB15165	1347x6mm, Rail sign back board for 1250mm tool holder	4	*											
FB151L	80x75mm, Rail sign label	100												
HT260	90x585mm, Heavy Duty Tool Holder, 6 prong, S/S	1												
HT544	Shadow board tool rail bolt set	1												



Tool rail systems - General



# **How Microfibre works**

#### **Microfibre Cloths**



Lifts and Locks dirt & moisture deep within the fibres

#### **Benefits of Fibreclean Microfibre:**


- Reduce chemical usage by a minimum of 70%
- Superior cleaning results.
- A safer environment for people in the facility.
- Time savings standard daily cleaning tasks can be achieved in 30% less time than conventional procedures.
- Longer life for surfaces of fixtures due to the non-abrasive cleaning process.
- The Fibreclean System has documented cleaning procedures which create a bench-mark for training staff and keeping staff from developing bad cleaning practices.
- Operator ergonomics people working with the Fibreclean tools on a daily basis constantly report how their necks, arms and backs feel a lot better at the end of the day when compared with conventional cleaning systems.

### **Conventional Fibre Cloths**



Pushes and scatters dirt & moisture - leaves residue behind





# **How Macrofibre works**

### **General surfaces**



Have dirt hidden deep in the crevices

#### Abrasive pads




Scratch the surface but doesn't deep clean

### Soft cloths




Skim the surface but doesn't deep clean

### Macrofibre



Non-abrasive fibres get deep into every crevice





# Janitorial Cleaning Tools

Cleaning tools
Scrubbers and holders Wipes

# **Janitorial Cleaning Tools**

# Scrubbers and holders

Code	Size / Description		Most Popular	Colou							
FC304	180x250mm, Single sided macro cloth, Grey with coloured tag sewn on	6	*	1	2		4	5			
FC300	150x250mm, Macro mitt, Grey with coloured tag sewn on	6			2						
FC302	260x220mm, Macro glove, Grey with coloured tag sewn on	6			2	3					
FC328	355mm/14", Macro floor scrubbing pads	4									
FC332	405mm/16", Macro floor scrubbing pads	4									
SG002	200x150mm, Standard green scouring hand pad	100									
TM484	216 x143mm, Scouring pad, HD Green	90									
TM244	254x177mm, White Doodlebug pad	5									
TM246	254x177mm, Blue Doodlebug pad	5									
TM248	254x177mm, Brown Doodlebug pad	5									
FB47101	230x100mm, Pad holder for handle	12	*	1	2	3		5			
FB57101	230x100mm, Hand held pad holder	12			2						













TM244





FB57101

SG002


# **Janitorial Cleaning Tools**

### Wipers

Code	Size / Description		Most Popular	Colour Options					
FB002	Heavy duty wiper cloth - 90 sheets/roll, 45 mtr roll, super absorbent	4	*	2	3	4	5		
NM220	328x123mm, Cloth roll wall bracket - stainless steel	1							
FB002	NM220								

### Microfibre hand cloths and Long arm dusters

Code	Size / Description		Most Popular	Colou Optio								
FC122	350x350mm, General purpose micro cloth	10	*	1	2	3	4	5				
FC122	350x350mm, General purpose micro cloth, white with coloured tag	10							7	8		
FC126	350x350mm, Glass buffing micro cloth	10	*		2							
FC126	350x350mm, Glass buffing micro cloth, blue with coloured tag	10				3		5				
FC424	400x400mm, Combicloth, Suitable for drying moisture from surfaces	10			2							
FC124	350x350mm, General purpose micro cloth, Designed to be tumble dried	10	*		2							
FC054	730x55mm, Long arm duster frame, Flexible frame to fit FC058 duster sleeve	10	*		2							
FC058	530x80mm, Longarm duster sleeve, Goes on FC054 flexible frame	10										






# Flat Mops - Styles & Uses

The Fibreclean range boasts a number of different styles of flat mops, all used in different ways to achieve excellent results in diverse applications. Legendary for their long lasting performance, the Fibreclean flat mop range is the gold-standard for those who demand low life-cycle costs, environmental sustainability, and high performance cleaning.



#### **General Purpose - Micromop**



The workhorse of the range. Use damp, for all hard floor types except 'safety grip' vinyl or tiles.

Product codes: FC200, FC204, FC208

#### Dry Dust Mop - Wrap over style




Polyester static mop for wrap-over style mop holders. Creates far more static and easier to clean than cotton static mops Use dry, for medium-fine dust collection. Product codes: FC104, FC108

#### Long pile Micromop



Long, dense microfibre pile for specific applications. Use dry, for excellent very fine dust removal in one pass. Use damp, (40cm size only) for removing heavy grease build-up or stainless steel and smooth floors. Product codes: FC206, FC209, FC210

#### **Dry Dust Mop - Velcro style**



Polyester static mop for velcro-style mop holders. Creates far more static and easier to clean than cotton static mops Use dry, for medium-fine dust collection. Product codes: FC100

#### Robust Mop



Specialist mop. Use damp, for scrubbing 'safety grip' vinyl or tiles and profiled floors and removing shoe-scuff marks. Use wet, for applying acrylic floor polish to floors. Product codes: FC212, FC216

#### **Disposable Microfibre Mop**



Single use, high performance microfibre mop - for critical hygiene situations or when laundering is not feasible. Use dry, for fine dust removal. Use Damp, for general hard floor cleaning.

Product codes: FC410



Mop Types
Flat mop handles and frames
Flat mops
String mops
Wringer buckets

# Mop handles and frames - General

Code	Size / Description		Most Popular	Color								
FC402	230X80mm, Aluminium velcro backed mop frame	4		1	2	3	4	5	6	7	8	
FC404	400x80mm, Aluminium Velcro backed mop frame	4		1	2	3	4	5	6	7	8	
FC052	550x80mm, Aluminium velcro backed mop frame	4		1	2	3	4	5	6	7	8	
FC128	1000x95mm, Aluminium dust mop frame	4		1	2	3	4	5	6	7	8	
FC132	1400x95mm, Aluminium dust mop frame	6		1	2	3	4	5	6	7	8	
FC028	1000x60mm, Telescopic handle 1.0-1.6mtr	4	*	1	2	3	4	5	6	7	8	



### Flat mops - Micro and Macro


Code	Size / Description	Qty Box	Most Popular	Colou									
FC200	230x155mm, General purpose micromop, Velcro backed	6		1	2	3	4	5					
FC204	400x155mm, General purpose micromop, Velcro backed	6	*	1	2	3	4	5		7	8		
FC204	400x155mm, General purpose micromop, Velcro backed, White binding with black tag sewn on	6							6				
FC208	600x155mm, General purpose micromop, Velcro backed	6		1									
FC206	400x155mm, Long pile micromop, Velcro backed	6		1		3	4	5		7	8		
FC212	230X130mm, Robust mop, Velcro backed	6		1									
FC216	400X130mm, Robust mop, Velcro backed	6		1									
FC354	230x125mm, Macro maximop, Velcro backed	6			2	3		5					
FC358	400x125mm, Macro maximop, Velcro backed	6			2			5					
FC410	440x120mm, Disposable microfibre mop, Individually wrapped, Twisted loop pile	200			2								





### Flat mops - Wrap

FC104       1000x245mm, Wrap over style       6       \$\pm\$       1         FC104       1000x245mm, Wrap over style, White mop with coloured tags sewn on       6       4         FC108       1400x245mm, Wrap over style       6       1	Code	Size / Description	Qty Most Colour Box Popular Options	
coloured tags sewn on	FC104	1000x245mm, Wrap over style	6 🗱 1	
FC108 1400x245mm, Wrap over style 6 1	FC104	1000x245mm, Wrap over style, White mop with coloured tags sewn on	6	
	FC108	1400x245mm, Wrap over style	6 1	



### Flat mops - Velcro

Code	Size / Description	Qty Box		Colou Optio						
FC100	600x115mm, Velcro style	6	*	1						
FC209	600x155mm, Long pile micromop, velcro backed	6		1		4	5	7		
FC210	1000x155mm, Long pile micromop, velcro backed	6		1		4				



Wrap over style mops These fit to the FC128 and FC132 frames as shown on page 37.

Centre frame over mop and push wrap over piece into pinch clips as shown.



**Velcro style mops** These fit to the 230, 400 and 550mm frames on page 39.

You can also turn the 100cm frame into a Velcro style by removing grey pad.



### String mops

Code	Size / Description	Qty Box	Most Popula	Colou r Optio									
HT044	150x350mm, Looped pile, Taped, Kentucky style mop head 400gm	12	*	1	2	3	4	5					
HT044	150x350mm, Looped pile, Taped, Kentucky style mop head 400gm, White mop with coloured tag sewn on	12							6	7	8	11	12
HT046	330x110mm, Durable cut pile, Non-taped, Threaded socket mop 400gm	12	*	1		3	4	5					
HT050	155x350mm, Looped pile, Taped, Threaded socket style mop, 350gm	12	*	1									



## Wringer buckets and String mop handles

Code	Size / Description	Qty Box	Most Popula	Coloui r Option									
HT040	360x400mm, Plastic wide-mouth wringer bucket	2		1	2	3	4	5					
HT040	360x400mm, Plastic wide-mouth wringer bucket, White bucket with coloured labels	2							6	7	8		
HT100	1545x175mm, Kentucky style mop holder c/w aluminium handle with coloured hand grip	1		1	2	3	4	5	6	7	8		
HT101	175x140mm, Kentucky style mop holder only	1										11	
HT042	1350x30mm, Threaded mop handle, Aluminium handle with coloured endcaps	12		1	2	3	4	5	6	7	8	11	12





# **Detectable Range**

The plastic used in our Fibreclean detectable range is both metal detectable and X-Ray visible. You will see in this section a core range of items available, however other options including brushes with detectable bristles are also available on request.

We promote 'Prevention before detection' so tool quality is important, irrespective of detectability.



It is dangerous to assume all pieces of detectable material can be found by your inspection system, regardless of the size. In the same way your inspection system will not find a piece of metal below its range of sensitivity, it will also not find the smallest piece of detectable plastic.

A positive detection depends on a wide range of factors such as the position of contaminant in the aperture, the type/size/shape/orientation of contaminant, the frequency of the detector, the line speed and type of packaging in use to name a few.

We offer metal/X-Ray detectable sample pieces at no charge as shown to test through your machine. Please contact us for more advice on this process.

# **Retreeva Global Range**

The Retreeva Global range of Detectable pens are the new benchmark of detectability, durability and usability. With several unique and innovative design features and a large range of colours and styles available, Retreeva Global offers the best value for money in detectable pens anywhere.

#### Highly visible ink indicators

Dominant top button and large window identify ink cartridge colour.

#### Positive retracting mechanism

Cartridge will not jump out of position however much pressure is exerted on writing point.

#### Unique cartridge suspension

Provides that firm writing experience without the need for a metal spring.

#### Smooth finish

Comfortable to hold, retains grip and easy to clean whether in a greasy production area or a sub-zero storage area.

#### Long writing life

In regular, pressurised and gel inks.

#### No spring in retractable pens

Springs are very difficult to detect if the pen becomes damaged.



#### One piece

No separate indicator ring, eliminates potential hazard.

#### Large lanyard loop

Intended for a real lanyard, not just a thread.

#### Strong pocket clip

Designed as virtually unbreakable. No need to specify model without clip.

#### Safe under duress


Moulded from shatter resistant polymers to avoid splintering if crushed.

#### Contoured for thumb and finger

With textured surface for enhanced grip.

#### **Detectable housing**

Metal detectable and x-ray visible pens moulded from FDA food contact approved polymers.



**Supplies**Pens and markers Clip boards Cable ties

# Cleaning tools Hand scoops

Buckets Spatulas

### Pens and markers

	ild illaikers	Qty Most Colour
Code	Size / Description	Box Popular Options
HT120B	Detectable pen, Retractable, 25/Box	1 box 5 6
HT128B	Detectable pen, Non-retractable, 50/Box	1 box 2
HT124B	Detectable gel pen, Retractable, 25/Box	1 box <u>2</u> <u>6</u>
HT130	Detectable permanent marker, 10/Box	1 box 5 6
HT134	Detectable whiteboard marker, 10/Box	1 box 5 6
HT138	Detectable highlighter, 10/Box	1 box 7 8 9
	HT120B HT128B  HT134 HT138	HT124B HT130

### Cable ties

Code	Size / Description	Qty Box	Most Colour Popular Options
HT171	140 x 3.6mm, Detectable cable ties, 100/pk	1	2
HT173	200 x 4.8mm, Detectable cable ties, 100/pk	1	2
HT175	360 x 4.5mm, Detectable cable ties, 100/pk	1	2
/	HT171 HT173 HT175		

### **Spatulas**



### Hand scoops

Code	Size / Description	Qty Most Colour Box Popular Options
FB75105	500gm, 110x150x265mm, Metal detectable	10 2
FB75106	750gm, 135x185x310mm, Metal detectable	10 2
FB75107	1000gm, 160x230x360mm, Metal detectable	10 2



#### You may also like...

Our non-detectable hand scoops, with three sizes of scoop available in up to 6 colours, there will be a scoop for every application. If using for ingredients, you can colour coordinate the scoop with our Ergo bucket or range of ingredient bins, which is great for allergen control. Store the scoops when not using them on our colour matched Fibreclean tool Holder system and avoid cross contamination.

Please refer to page 26 where you can find the other handscoop options, or visit www.hygienetech.co.nz





### Hand scoops - Stainless steel

Code	Size / Description	y Most Colour x Popular Options	
HT206	150ml, Scoop, Stainless steel	1	
HT208	500ml, Scoop, Stainless steel	1	
HT200	300ml, Scoop, S/S, Heavy Duty	1	
HT202	840ml, Scoop, S/S, Heavy Duty	1	
HT204	2000ml, Scoop, S/S, Heavy Duty	1	



### Buckets - Stainless steel

Code	Size / Description	Qty Most Colour Box Popular Options
HT220	4.5ltr, Bucket, Stainless steel	1
HT224	10ltr, Bucket, Stainless steel	1
HT226	20ltr, Bucket, Stainless steel	1



# Clip boards



# **Technical Information**

	Page Number	Temp Resist °C	Launderable to 40°C	Launderable to 80°C	Construction	Waterfed	Metal Detectable	Most Popular	Headlock Connection	Janitorial Connection	Tool Holder Component		Page Number	Temp Resist °C	Launderable to 40°C	Launderable to 80°C	Construction	Waterfed	Metal Detectable	Most Popular	Headlock Connection	Janitorial Connection	Tool Holder Component
BR086	21	120°C			PP/N						Н	FB15063	17	134°C			PP/PPBT			*			Н
BV010	23	N/A			R							FB15064	17	134°C			PP/PPBT						Н
BV014	23	N/A			R							FB15065	17	134°C			PP/PPBT						Н
FB002	23,36	40°C			V/PES			*				FB15066	17	134°C			PP/PPBT			*			Н
FB10201	17	134°C			PP/PPBT			*			Н	FB15071	13	100°C			PP/F				√		
FB10203	17	134°C			PP/PPBT						Н	FB15072	13	100°C			PP/F			*	√		
FB10213	17	134°C			PP/PPBT						Н	FB15073	13	100°C			PP/F			*	√		
FB10215	17	134°C			PP/PPBT			*			Н	FB15074	13	100°C			PP/F				√		
FB10252	18	134°C			PP/PPBT			*			Н	FB15075	14	100°C			PP/F				√		
FB10254	18	134°C			PP/PPBT						Н	FB15076	14	100°C			PP/F				√		
FB10255	18	134°C			PP/PPBT						Н	FB15077	14	100°C			PP/F				√		
FB10256	18,23	134°C			PP/BT			*				FB15078	14	100°C			PP/F				√		
FB10463	18	134°C			PP/PPBT			*			Н	FB15103	24	120°C			PP						LHC
FB10466	18,23	134°C			PP/PPBT						Н	FB15104	24	120°C			PP						LHC
FB10546	15	134°C			PP/PPBT						Н	FB15105	26	120°C			PP						Н
FB10547	15	134°C			PP/PPBT						Н	FB15106	26	120°C			PP						Н
FB10548	15	134°C			PP/PPBT			*			Н	FB15107	26	120°C			PP						Н
FB10549	15	134°C			PP/PPBT						Н	FB15109	25	120°C			PP			*			Н
FB10713	19	134°C			PP/PPBT/SS						Н	FB15150	31	120°C			PP/R			*			
FB10714	19	134°C			PP/PPBT/SS						Н	FB15151	31	120°C			PP/R						
FB10745	19	134°C			PP/PPBT/SS						Н	FB15153	31	134°C			AL						
FB10750	19	134°C			PP/PPBT/SS						Н	FB15154	31	134°C			AL			*			
FB10752	19	134°C			PP/PPBT/SS						Н	FB15155	31	134°C			AL			*			
FB10754	19	134°C			PP/PPBT/SS						Н	FB15156	31	134°C			AL			*			
FB10756	19	134°C			PP/PPBT/SS						Н	FB15157	31	134°C			AL			*			
FB10758	19	134°C			PP/PPBT/SS						Н	FB15159	31	120°C			PP						
FB10759	19	134°C			PP/PPBT/SS						Н	FB15163	31	120°C			PPB						
FB14103	24	120°C			PP			*			LHC	FB15164	31	120°C			PPB						
FB14104	24	120°C			PP			*			LHC	FB15165	31	120°C			PPB			*			
FB15000	9	134°C			PP/PPBT				√			FB151EP	31	120°C			PP			*			
FB15001	9	134°C			PP/PPBT			*	√			FB151L	31	80°C			VIN			Ť.			
FB15002	9	134°C			PP/PPBT				√			FB15204	10	134°C			PP/PPBT			*	<b>√</b>		
FB15008	10	134°C			PP/PPBT				√			FB180	22	N/A			Various			*			Н
FB15009	10	134°C			PP/PPBT			*	√			FB182	22	N/A			Various			* -			Н.
FB15011	11	134°C			PP/PPBT			·	√			FB184	22	N/A			Various						Н.
FB15012	11	134°C			PP/PPBT				√			FB186	22	N/A			Various						Н.
FB15023	10	134°C			PP/PPBT				√			FB25050	7	120°C			A/PP				<b>√</b>		SHC
FB15024	9	134°C			PP/PPBT				√			FB28243	15,23	120°C			PP/R			*	,		Н
FB15025	9	134°C			PP/PPBT				√			FB40000	14	120°C			PP PP				<b>√</b>		
FB15026	9	134°C			PP/PPBT			*	√			FB40105	11	134°C			PP/PPBT				<b>√</b>		
FB15030	7	100°C			FG				√		SHC	FB40154	9	134°C			PPP/PPBT				<b>√</b>		
FB15032	7	120°C			A/PP			*	√		SHC	FB40155	9	134°C			PP/PPBT				√ √		
FB15033	7	120°C			A/PP			4.1	· √		SHC	FB40195	10	134°C			PP/PPBT				√ √		
FB15037	8	100°C			FG				√		SHC	FB41126	10	134°C			PP/PPBT			*	√ √		
FB15045	8	100°C			FG				· √		SHC	FB43153	9	134°C			PP/PPBT				√ √		
FB15060	20	134°C			PP/PPBT				Ė		SHC										√ √		
FB15061	20	134°C			PP/PPBT			*			SHC	FB44105 FB45197	11	134°C			PP/PPBT PP/PPBT				√ √		

#### **Construction Key**

A AluminiumV ViscoseF Foam

FG Fibreglass reinforced plastic

MF Macrofibre
B Brass
VIN Vinyl

N Nylon
PA Polyamid
PPBT Polyester PBT
PE Polyethylene
PES Polyester
PP Polypropylene
SS Stainless steel

PPB Polypropylene with Bioshield impregnated
PPM Polypropylene with metal detection

RA Rayon
R Rubber
RES Resin
SR Silicone Rubber

# **Technical Information**

	Page Number	Temp Resist °C	Launderable to 40°C	Launderable to 80°C	Construction	Waterfed	Metal Detectable	Most Popular	Headlock Connection	Janitorial Connection	Tool Holder Component		Page Number	Temp Resist °C	Launderable to 40°C	Launderable to 80°C	Construction	Waterfed	Metal Detectable	Most Popular	Headlock Connection	Janitorial Connection	Tool Holder Component
FB47101	35	120°C			PP/SS			*	<b>√</b>			FB80101	23	120°C			PP			*			Н
FB47136	10	134°C			PP/PPBT				√			FB80102	23	120°C			PP						Н
FB47152	11	134°C			PP/PPBT				√			FB80111	23	120°C			PP						Н
FB47153	11	134°C			PP/PPBT				√			FB80201	21	120°C			PP						
FB47156	10	134°C			PP/PPBT				√			FB80204	21	134°C			PP						
FB47197	10	134°C			PP/PPBT				√			FB80205	21	120°C			PP						Н
FB47260	20	120°C			PP/PPBT				<b>√</b>			FB80210	21	120°C			PP/A/PPBT						SHC
FB48281	25	70°C			PP/SS				<b>√</b>			FB8030 <b>2</b>	21	120°C			PP			*			Н
FB48290	25	120°C			PE				√			FB80305	24	120°C			PP						Н
FB48291	25	120°C			PE				<b>√</b>			FB81125	20	134°C			PP/PPBT						Н
FB48400	13	100°C			PP/R				<b>√</b>			FB81900	24	120°C			PP						Н
FB48420	13	100°C			PP/R				<b>√√</b>			FB81916	23,25	120°C			PP						
FB48453	14	120°C			PP/F			*	√			FB82125	20	134°C			PP/PPBT						Н
FB48600	13	100°C			PP/R			•	√			FB82900	24	120°C			PP						Н
FB48653	14	134°C			PP/F				√			FB82904	25	120°C			PP						Н
FB49105	11	120°C			PP/PPBT			*	Е	Е	LHC	FB82910	25	240°C			N						
FB49750	8	120°C			A/PP			*	E	E	LHC	FB88040	25	120°C			PP/SS						Н
FB49751	8	120°C			A/PP			<b>T</b>	√	_	LITE	FB88080	25	120°C			PP/SS						н
FB49752	8	120°C			A/PP			*	E	Е	LHC	FB90252	18	134°C			PP/PPBT/RES						Н
FB49754	8	120°C			A/PP	√		*	√	_	LITE												
						V		<b>*</b>	√ √			FB90548	15	134°C			PP/PPBT/RES			4		.1	Н
FB49755	8	120°C			A/PP						6116	FC028	39	90°C			A/PP			*		√ ,	LHC
FB49800	8	120°C			A/PP			<u> </u>	√ ,		SHC	FC052	39	50°C			A/PP			<u></u>		√	
FB49803	7	120°C			A/PP			*	√ ,		SHC	FC054	36	40°C		,	A/F/PP			*		√	
FB49813	7	120°C			A/PP				√		LHC	FC058	36	80°C		√	PES/PA			*			
FB49856	8	120°C			A/PP			*	√		SHC	FC072	8	120°C			PP			*			
FB49904	7	134°C			FG						Н	FC100	41	80°C		√	PES			*			
FB50104	16	134°C			PP/PPBT/R						Н	FC104	41	80°C		√	PES			*			
FB50144	16	134°C			PP/PPBT/R						Н	FC108	41	80°C		√	PES						
FB50153	20	120°C			PP/PPBT			*	√		SHC	FC122	23, 36	80°C		√	PES/PA			*			
FB50321	7	120°C			A/PP				√		SHC	FC124	36	80°C		√	PES/PA						
FB50331	7	134°C			A/PP	√					Н	FC126	36	80°C		√	PES/PA			*			
FB50155	20	134°C			PP/PPBT						Н	FC128	39	50°C			A/PP					√	
FB51104	16	134°C			PP/PPBT/R						Н	FC132	39	50°C			A/PP					√	
FB51126	20	134°C			PP/PPBT						Н	FC146	39	50°C			PP/N						
FB52126	20	134°C			PP/PPBT	√					Н	FC200	40	80°C		√	PES/PA						
FB52154	16	134°C			PP/PPBT/R						Н	FC204	40	80°C		√	PES/PA			*			
FB54153	17	134°C			PP/PPBT						H(x2)	FC206	40	80°C		√	PES/PA						
FB54154	20	120°C			PP/PPBT						LHC	FC208	40	80°C		√	PES/PA						
FB57101	35	120°C			PP/SS						LHC	FC209	41	80°C		√	PES/PA						
FB57156	16	134°C			PP/PPBT						Н	FC210	41	80°C		√	PES/PA						
FB57159	16	134°C			PP/PPBT						Н	FC212	40	80°C		√	PES/PA						
FB72904	46	120°C			PPM		√				Н	FC216	40	80°C		√	PES/PA						
FB75105	46	120°C			PPM		√				Н	FC300	35	40°C	√		MF						
FB75106	46	120°C			PPM		√				Н	FC302	35	40°C	√		MF						
FB75107	46	120°C			PPM		√				Н	FC304	35	40°C	√		MF			*			
FB75109	46	120°C			PPM		<b>√</b>	*			Н	FC328	35	40°C			MF			,			
FB80000	31	120°C			N/A			*				FC332	35	40°C			MF						

#### **Tool Holder Components Key**

H Hook for hand held items, code FB80000

SHC Small Handle Clip for handle held items 22-32mm dia,

code FB15150

LHC Large Handle Clip for handle held items 28-38mm dia,

code FB15151

<sup>\*</sup> E - Either

# **Technical Information**

	Page Number	Temp Resist °C	Launderable to 40°C	Launderable to 80°C	Construction	Waterfed	Metal Detectable	Most Popular	Headlock Connection	Janitorial Connection	Tool Holder Component		Page Number	Temp Resist °C	Launderable to 40°C	Launderable to 80°C	Construction	Waterfed	Metal Detectable	Most Popular	Headlock Connection	Janitorial Connection	Tool Holder Component
FC354	40	40°C	√		PES						Н	HT544	31	N/A			SS						
FC358	40	40°C	√		PES							HT546	30	N/A			SS						
FC402	39	60°C			A/PP				√			NM220	36	100°C			SS						
TM244	26	90°C			N							PF426	16	N/A			В		√				
TM246	26	90°C			N							SG002	35	90°C			N						
TM248	26	90°C			N							TM244	35	90°C			N						
FC404	39	60°C			A/PP				√			TM246	35	90°C			N						
FC410	41	60°C	√		PES/PA/F							TM248	35	90°C			N						
FC420	15	120°C			PP/SR							TM484	35	90°C			N						
FC424	36	80°C		√	PES/PA																		
FJ002	26	100			PE																		
FJ004	26	100			PE																		
FJ006	26	100			PE																		
HT040	42	50°C			Various						SHC												
HT042	42	90°C			A/PP																		
HT044	42	120°C			RA			*															
HT046	42	120°C			RA			*															
нто50	42	120°C			RA			*			SHC												
HT100	42	50°C			A/PP																		
HT101	42	N/A			PP																		
HT120B	45	N/A			PPM		√																
HT124B	45	N/A			PPM		√																
HT128B	45	N/A			PPM		√																
HT130	45	N/A			PPM		√																
HT134	45	N/A			PPM		√																
HT138	45	N/A			PPM		√																
HT17 <b>1</b>	45	120°C			PPM		√																
HT17 <b>3</b>	45	120°C			PPM		√																
HT17 <b>5</b>	45	120°C			PPM		√																
HT180	23	N/A			PE																		
HT184	23	N/A			PP																		
HT200	47	134°C			SS		√																
HT202	47	134°C			SS		√																
HT204	47	134°C			SS		√																
HT206	47	134°C			SS		√																
HT208	47	134°C			SS		√																
HT220	47	134°C			SS		√																
HT224	47	134°C			SS		√																
HT226	47	134°C			SS		√																
HT250	48	134°C			SS		√																
HT260	31	134°C			SS		√																
HT530	41	N/A			SS																		
HT534	41	N/A			SS/PP																		
HT536	40	N/A			SS/PP																		
HT538	30	N/A			SS																		
HT540	30	N/A			SS																		
HT542	30	N/A			SS																		

#### **Construction Key**

A Aluminium
V Viscose
F Foam

FG Fibreglass reinforced plastic

MF Macrofibre
B Brass
VIN Vinyl

N Nylon
PA Polyamid
PPBT Polyester PBT
PE Polyethylene
PES Polyester
PP Polypropylene
SS Stainless steel

PPB Polypropylene with Bioshield impregnated
PPM Polypropylene with metal detection

PPM Polypropylene with metal detecting RA Rayon Rubber RES Resin

RES Resin
SR Silicone Rubber

# **Notes**

**Notes** 

### **Fibreclean Resource Material**

The Fibreclean product range is supported by extensive resources available to the end user, which as explained here, fall under three different categories:

### 1. Training guides & Educational videos

These have been developed to educate and help our customers to use the Fibreclean tools to best practice standards and to implement robust food-safety measures in their organisation.

- How to clean and care for your Fibreclean tools after use
- How to choose the best colour coding policy for your site
- Three simple steps to improve your allergen management
- Why Fibreclean?
- How to install the Fibreclean Tool Holder System
- Tips for cleaning at heights

If you feel another subject not covered under these headings would be helpful to you or your staff, in relation to the Fibreclean range, then please send your request to info@hyginetech.co.nz for consideration

In Partnership with







### 2. Food grade approvals & Migration documents

For the bulk of the Fibreclean colour coded products range, we provide up-to-date documentation to prove that they comply with the latest food contact article regulations internationally, including USFDA and EU standards.


Also available are plastic migration test results for individual components used in the Fibreclean products, to prove that they will not migrate into foodstuffs or food contact surfaces, under normal conditions of use. The majority of the Fibreclean products are manufactured by BRC Accredited Suppliers.

### 3. Auditing & Care documents

The fitness-for-purpose and length-of-life of your cleaning tools can be significantly improved if you follow our recommendations on how to care for and maintain them, and how to audit their condition regularly.

To make it easy to do so, we have produced a comprehensive "Auditing and Care document" which can be personalised for your company, and which details the steps of how to audit your tools, what to look for, what to do and how to care for different sorts of products. This is designed to dovetail in with your internal quality system..







0800 732 525



orders@hygienetech.co.nz



orders@hygienetech.co.nz



28 Rangitane road, Hastings 4102